



YETDA INDUSTRY LTD.

2.3" 5mm 8*8 YELLOW DOT MATRIX DISPLAY

M-20884AYF10(雙色板)

DESCRIPTION

- * 2.3" (53.34mm) Inch Matrix Height.
- * Super Bright Yellow Dot Matrix.
- * Black Face and Water Clear Dot Color.
- * Row Common Anode.
- * Bi-Color P.C.B. Pin Connection.

ABSOLUT MAXIMUM RATINGS AT Ta=25°C

Parameter		UNIT
Power Dissipation Per Dot	40	mW
Peak Forward Current Per Dot	120	mA
Forward current Per Dot (Static)	30	mA
Reverse Voltage Per Dot	5	V
Operation Temperature Range	-25°C TO +80°C	°C
Storage Temperature Range	-25°C TO +100°C	°C
Lead Soldering Temperature	260°C for 3 seconds 1.6mm(1/16 inch) from body	

ELECTRICAL/OPTOTICAL CHARACTERISTIC AT Ta=25°C


YELLOW

PARAMETER	SYMBOL	MIN.	TYP.	MAX.	UNIT	CONDITION
Average Luminous Intensity	Iv		70		mcd	If=20mA
Peak Emission Wavelength	λd		590		nm	If=20mA
Forward Voltage Per Dot	Vf		2.0	2.4	V	If=20mA
Reverse Current Per Dot	Ir			10	uA	Vr=5V
Luminous Intensity Matching Ratio	Iv-m			2 : 1		If=20mA




YETDA INDUSTRY LTD.

P.C.B. Pin Connection



Reflector Dimensions



Unit: mm